

Room	ITEM	CONFIGURATION	QTY
G.127	SGI Origin	Origin 350 4Px 700Mhz ,4Gb RAM,	1
	Compute Server	Origin 350 4 Px 800Mhz, 4 Gb	
		73 gb ,10 K RPM system disk,	
		DVD-ROM, External DDS4 DAT Drive	
		SGI TP 900 Base unit with 146GB	
		10K RPM HDD x 3 nos.	
	Sun Ultra 60 Workstation	Sun Ultra -60/ Ultra Sparc II, 360Mhz(2 CPU), 512 Mb Ram	1
		18Gb HDD, CDROM, 12/24Gb DDS3 DAT Drive, 1.44Mb FDD, 8 PORT Ethernet Hub	
		Creator 3D Graphics Card, 21 " Colour Monitor (SUN make) , Keyboard, Mouse	
		O/S - Solaris 7	
		Workshop for University/Sparc 3.0 consisting of Compilers WS CSP ARC 4.2	
		WS F77 SPARC 4.2, WS F90 SPARC 4.2, WS C++ SP ARC 4.2	
	Sun Ultra 10 Workstation	Sun Ulltra 10 - Ultra SPARC III @ 333M hz, RAM 2x 128MB, 9Gb HDD	2
		12/24 Gb DDS3 Dat Drive, CD-ROM, 1.44 MB FDD , Creator 3D Graphics Card,	
		17" Colour Monitor (Sun) make with Mouse & Keyboard, OS - Solaris 7	
		Workshop for University/Sparc 3.0 consisting of Compilers WS C SP ARC 4.2	
		WS F77 SPARC 4.2, WS F90 SPARC 4.2, WS C++ SP ARC 4.2	

...

Room	ITEM	CONFIGURATION	QTY
316	HCL-HCM	512 MB Memory	1
		36 GB Hard Disk	
		4-mm DAT Drive	
		19" Colour Monitor /Keyboard/ Mouse	

Room	ITEM	CONFIGURATION	QTY
205	OCTANE	1x 300MHz OCTANE SE,73 GB SCSI Internal hard Disk,External 120 MB Floppy Drive,	1
		External DDS-3 DAT,21" G1 DISPLAY,keyboard 101 KEY PS/2,UPG 256MB Memory	
205	Sun Fire V440	4x.593-Ghz UltraSPARC IIIi processors,64-bit, 4-way	1
		superscalar SPARC V9,32 KB data on chip,Main memory 32Gb maximum, two 10/ 100/1000-Mbps Base T Ethernet ports	

Room	ITEM	CONFIGURATION	QTY
S 143	HP Visualise	PA-8500 Risc Proc @400 MHZ	1
	B-2000 Risc	1.5 MB on chip cache	
	Unix	2x 256 MB Memory (512 MB)	
	Workstation	9 GB Ultra SCSI HDD	
		FXE Graphics Card	
		48X Internal CDROM DRIVE	
		1.44 MB FDD/Onboard Ethernet Card	
		HP-UX USB KeyB kit with Mouse	
		Operating System HP-UX11.0 WKST.	
		HP Fortran 90, Visualize c 13 Power Cord	
		19" HP Performance Colour Monitor	
S.143	HP B-2600	64 Bit RISC @ 500MHZ with 1.5MB onchip cache	1
		512 MB Memory	
		1x18 GB & 1x36 GB UWLVD SCSI HDD	
		Int. 48x CDROM Drive	
		10/100 MBPS Lan Card	
		21" HP Colour Monitor	
		HP FXE graphics Card/ 2 serial 1 parallel 2 USB	
		20/40 GB External DAT Drive with 4MM Media	
		HP 64 Bit UX OS Ver 11.0	
		C, C++, F90 Compilers	
		X Windows System & NFS	
		HP-UX USB Keyboard kit with Mouse	
S.143	OCTANE 2	R14k@600,Dual,1GB Ram, 73GBx2,20Gb DAT,Ext.CD-ROM,21" Mon/ Kbd/Mouse	1

Room	ITEM	CONFIGURATION	QTY
S 109	SGI Tezro Workstation	Tezro Tower 4 700 MHz MIPS R 16000(IP35) Processors with MIPS R 16010 FPUs,Memory 2 GB Data Cache 32 KB, Instruction Cache:32 KB Secondary Instruction-Data Cache: 4 MB Operating System: IRIX64 Release 6.5 Audio: Iris Audio Processor: version MAD revision 1, number 1, Graphics: V12 Network: Integrated Gigabit Ethernet: tg0, module 001c01, PCI bus 1 slot 4 Serial Ports: IOC3/IOC4 serial port: tty3 IOC3/IOC4 serial port: tty4	1

S115	Sun Fire V440	4x 1.593-GHz UltraSPARC IIIi processors,64-bit,4-way superscalar SPARC V9, 32 KB instruction,64 KB data on chip,Main memory 32 Gb maximum, Two 10/100/1000-Mbps Base T Ethernet ports Four 3.5-in.x1.0-in., 10K RPM,146-Gb Ultra320 SCSI drives, keyboard & mouse	1
------	----------------------	---	---

S115	Sun Ultra 60 Workstation	Sun Ultra -60/ Ultra Sparc II, 360Mhz(2 CPU), 512 Mb Ram 27Gb HDD(18Gb Internal, 9Gb External) , CDROM, 12/24Gb DDS3 DAT Drive 1.44Mb FDD, 8port Ethernet hub, Creator 3D Graphics Card, 21 " Colour Monitor Keyboard, Mouse, OS - Solaris 7	1
------	---------------------------------	---	---

Room	ITEM	CONFIGURATION	QTY
		MAKE: HP; MODEL:HP B-2600	
G-11.3	HP B2600 Risc Based Workstation	64 BIT RISC BASED CPU 500 MHz with 1.5 mb on chip cache. 8 Spec.int - 2000	1
		403 spec. fp. 2000-440, 512 MB RAM Expandable to 4 GB	
		18 GB Ultrawide LVB SCSI Hard Disk Drive	
		20/40 GB DAT Drive with 4 mm DAT	
		Internal 48x CD ROM Drive, 10/100 mbps LAN CARD	
		21" Color Monitor	
		HP FXE Graphic Accelerator, 2 Serial, Parallel, 2 Usb Ports	
		Media Support	
		64 bit HP UX OS Version 11.0	
		With unlimited user license with media + manual on CD	
		Licensed C, C++ and FORTRAN compilers (Fortran 77 X 90) with hardcopy manuals	
		Window system KNFS supply + support for above system	
G-113	HP B200 Risc Based Workstation Storage Device	PA 8500 RISC PROCESSOR running at 400 MHz (64 Bits), 1.5MB on chip cache	1
		2 x 256 MB SD RAM (Total 512MB SD RAM)	
		9 GB Ultra 2 SCSI HDD, FXE Graphics Card	
		48x internal CD ROM with ATAPI interface	
		1.44 MB FDD, OnBoard Ethernet card	
		HP UX USB KeyBoard kit with mouse and mouse pad	
		OPERATING SYSTEM: HP-UX 11.0 Workstation with unlimited user license	
		HP UX media preloaded algorithm CD Media	
		All the OS manuals on CD media	
		HP FORTRAN 90 user L TU for Workstation - single user	
		Visualize C13 powercard kit, 19" Color Monitor	
G-113	Tulsient Silveraid Series Storage Device SW2600	Drive-Hot Swappable, 16x120GB ATA - 100 Disk channels with over 160 GB	1
		Big Drive Support Ability	
		Inbuilt Controller - 64 Bit RISC microprocessor	
		Cache Memory -512 MB SDRAM	
		RAM Raid Levels - 0,1,0+1, 3 and 5	
		Data Transfer Rate - 160 MB/S	
		Interface - 1)Host Bus Dual Ultra 160 LVD SCSI	
		2) Disk Bus - Ultra Ata 100	
		Capacity 1.92 Tera Bytes	
		Power Supply - 3 nos.(1 no. is faulty not present in the storage)	
		Adapter - PCI SCSI Adapter	

Room	ITEM	CONFIGURATION	QTY
	Make	HCL Make	
	Model	Infiniti Challenger 5120	4
		Callypso Cabinet with 460 W SMPS	
	Processor	Intel P4 (Dual- core with EM 64 T), 3.0.Ghz, 800 FSB,& 90 nm processor Technology	
	Cache	Full –Speed 2 MB L2 Cache	
	Chipset	Intel 955X Express Chipset, 800 MHz system bus,DDR2 memory support	
	Memory	4 GB PC2 4300 ECC DDR2 SDRAM	
	Hard Disk	400 (2*200) GB 7200 RPM SATA HDD (internal)	
	Monitor	19" CRT color MONITOR	
	FDD	1.44 MB FDD	
	Video memory	128 mb/ 128 bit Nvidia Quadro 540 card	
	Drive	DVD WRITER Internal	
	KBD	PS/2 Mechanical key board	
	Mouse	Optical Scroll Mouse	
	Cabinet	Calypso Cabinet with 460 W SMPS	
	Total external ports	8 USB 2.0,21EEE 1394,2 Serial , 1 Parallel	
	Slots	3 PCI, 1 PCIEXPRESS x 1'-1 PCI , EXPRESS X4,1 PCI EXPRESS x16	
	Power Supply	460 Watts Power Supply	
	OS	Win XP proff.preloaded with recovery CD media	
	OS	Red hat Enterprise linux with Dual boot capacity	
	LAN	Integrated high bandwidth Gigabit Ethernet with wake on LAN	

