

**INDIAN INSTITUTE OF TROPICAL METEOROLOGY  
PASHAN, PUNE-411008 (INDIA)**  
*(An Autonomous Body under the Ministry of Earth Sciences, Govt. of India)*

**TENDER NO.: PS/TENDER/09/2012**

**GLOBALTENDER NOTICE**

Director, Indian Institute of Tropical Meteorology, Dr. Homi Bhabha Road, Pashan, Pune- 411 008 (India) invites separate sealed tenders (Part-I – Technical Bid, Part-II – Commercial Bid) in separate sealed covers from Manufacturers / Suppliers and their accredited selling agents for the Supply, Commissioning and Installation and Satisfactory Demonstration of “**ON-LINE PROTON TRANSFER REACTION MASS SPECTROMETER (PTRMS) BASED VOCs ANALYZER**” –QTY 01 SET.

**Last date of receipt of Tender at IITM, Pune: 27 March 2013 at 12:00 hrs.**

**Opening of Tenders (Technical Bids only) : 27 March 2013 at 15:00 hrs.**

Tender documents with specifications can be obtained from Purchase and Stores Section of the Institute.

The Institute reserves the right to reject any or all tenders without assigning any reason thereof. For further details please visit our Website: [www.tropmet.res.in](http://www.tropmet.res.in) or CPP Portal [www.eprocure.gov.in](http://www.eprocure.gov.in).

**Senior Technical Officer-II, for Director**

Email: [vipin@tropmet.res.in](mailto:vipin@tropmet.res.in)

**Technical Specification****On-line Proton Transfer Reaction- Mass spectrometer (PTRMS)  
based VOCs analyser**

Mass Spectrometer :	Quadrapole Mass Spectrometer
Display	Touch screen display as status indicator for pressure, voltage, pressure controller, flow controller, temperatures and turbo pumps.
Vacuum System	One membrane pump (oil free) & 3 Turbo molecular pumps to have Vacuum pressure Range $10^{-5}$ to $10^{-6}$ Mbar range.
Inlet System	Response time optimized direct inlet system, manufactured of inert material, Heated hose including PEEK capillary, adjustable inlet Temp. Range from 50 to 175 Deg C. Adjustable Inlet flow by Mass flow controllers ranging from 50 sccm to 750 sccm.
Ion Source Reaction Chamber	High Purity Ion Source for producing primary ions ( $H_3O^+$ ) Reaction Chamber – Drift Tube
Ion Source /Reaction chamber heating range	50 -120°C
Switchable Reagent Ions feature:	System should be capable of switching between other reagent ions like $NO^+$ & $O_2^+$ as reagent ions. SRI capability is required to cover separation / detection of isomer VOC's like aldehydes & ketones by $NO^+$ & halogenated hydrocarbons by $O_2^+$ in addition to $H_3O^+$ Primary reagent ion. SRI hardware should be inclusive of 2 Flow Controllers, proportional valve, charcoal filter, system software tool for controlling the flow-controllers. SRI Gas tanks / cylinders with regulators set to be quoted.
Mass Range	1 - 500amu (Quadrapole)
Mass resolution	< 1 amu
Response Time	< 100 milli sec.
Measuring time	5 ms / amu to 60 sec / amu
Sensitivity (Benzene)	> 300 cps/ppbv
Detection limit	< 5 pptv (VOC)
Detector	SEM (secondary electron Multiplier)
Linearity range	5pptv-10000 ppbv
Reaction Chamber heating:	120 Deg C
Inlet heating	50 to 175 ° C
Data acquisition system with licenced software (2 nos.)	One fixed for laboratory and one for field (mobile) (as per the specs.) with 2 licences of software. Software for both field and lab DAS should be capable of adjusting control and monitoring all instrument parameters (primary ions, ion source voltages and Flows drift tube conditions, etc.). It should work with saved data files, allows calculation of concentration, peak identification Re-calibration of mass scale.(Lab DAS: Branded i7 processor, 4 GB, 1TB-HDD, 21" TFT Monitor, etc.), (Mobile DAS: Chromebook: Speed: an Intel Core i5 processor and a solid state Flash memory architecture; Connectivity: carefully positioned WiFi antennas and dual-band support, and Long-term evolution (LTE) engineered directly into the machine; Storage: one terabyte of Google Drive cloud storage is included with the Pixel; Gorilla Glass multi-touch screen, 12.85-inch display, 2560 x 1700 screen, 4GB of DDR3 RAM, 32GB solid state drive and 1TB of Google Drive cloud storage.)
Accessories -PTRMS	Tool kit, set of capillaries, Fittings & ferrules, set of manuals, Charcoal Filter.

Reusable Flight case Packaging	Flight case designed for PTR-QMS instrument including loading ramp, protective inner layout, protected edges and reusable.
Gas Calibration Unit	The system should be quoted with Gas calibration unit to offer VOC calibration at variable humidity levels and up to 40 deg C temp. The Gas calibration unit should be software controlled for parameter setting and for automated calibration. Diluter range adequate; passive mass flow controller; etc.
Interfaces:	8 x Digital Output, 4 x Digital Input, 4 x Analog Input, 4 x Analog Output
Power supply:	230 volts AC / 50 Hz single phase.
Accessories: PFT Spirometer (2 Units)	<b>Tests Performed:</b> FVC, SVC, Pre- and Post- BD, MVV, Challenge; <i>Full Function portable PC/laptop-Based Spirometer (branded)</i> ; <b>Parameters Measured (in FVC test); Pneumotachometer:</b> Brass Core Fleisch-type Pneumotachometer; <b>Calibration:</b> 3 & 1 injection mode; Supports both one and three liter calibration syringes; <b>Filter Requirement:</b> KoKoMoe (2000 nos.); <b>Power Equipment:</b> USB; <b>Accuracy:</b> <math>\pm 3\%</math> or 100 ml; research grade accuracy of <math>< 1\%</math> can be set via calibration; <b>Reproducibility:</b> <math>\pm 0.5\%</math> or 0.150 l; <b>Volume &amp; Flow Range:</b> $\pm 16$ l volume; $\pm 16$ l/s flow; <b>Resistance:</b> <math>< 1.5\text{ cm H}_2\text{O/l/s}</math> when tested with KoKo Moe filter; <b>Memory Storage:</b> Unlimited - dependent on hard disc drive or network server capacity; <b>Interpretation Algorithm:</b> McKay (ATS / ARRD 1991); ITS; Modified Ellis; <b>Reports:</b> Unlimited self-defined, multiple preset designs; <b>Incentive Graphics:</b> Candles, sailboat, 3 pigs, flying kite, brick wall; <b>Connectivity:</b> Network via HL <sub>7</sub> . Client version with nSpire Health pulmonary lab analyzers; <b>Dimensions:</b> 18 x 10 x 5 cm; 7.1 x 3.9 x 2 inches; <b>Weight:</b> light weight ( $\leq 0.4$ kg or 0.7 lbs); <b>EMC Rating:</b> Radiation and conducted emissions and immunity per EN 60601-1-2; <b>Standards:</b> ATS/ERS 2005 (26 flow-time waveforms); BTS; NIOSH; ACOEM; MDD; FDA QSR, ISO 13485:2003, MDD 93/42/EEC, EN 60601-1, 60601-1-1, 60601-1-2, 60601-1-4.

<p><b>OMC (OPERATIONAL AND MAINTENANCE CONTRACT)</b></p> <p>Total Comprehensive Operational and Maintenance Contract (OMC) for 5 years for complete instrument and accessories including complete manned operation and managing laboratory and supply of the data. Supplier should quote for the comprehensive Operational maintenance contract (OMC) for a total period of 5 years. It is understood that as per the practice, there should be a total Comprehensive Maintenance Contract (CMC) for initial one year free of cost. Hence, only the man power cost should be included in 1st year.</p> <p>This OMC will be for complete items under this tender for uninterrupted operation of VOC-PTRMS system and all related components and should include–</p> <ul style="list-style-type: none"> <li>• All consumable, spare parts, recurring expenses, gases and regular maintenance for uninterrupted operation (24x7).</li> <li>• Stationing ONE dedicated trained engineer at IITM to take care of instruments and its regular maintenance, calibration and all hardware related issues including operations, analysis and preparing reports. Persons should be present on all working days (in case or emergency as an when required) as per IITM calendar for the entire duration of the OMC)</li> </ul> <p>These OMC staff will maintain all instruments, manage all consumable, keep it up to date and carry out the complete operational analysis on routine basis including the analysis of filed samples if optional items are procured. Quote separately for each year. Instruments should remain operational at least 90% of the time in a year and should not remain non-functional continuously for more than 3 days in general. In case of non-compliance, total or partial (as decided by IITM) OMC amount per day on the days of non-operation will be cut along with extension of OMC period. The instrument should be commissioned, regularized and operational after the order is executed without any additional facility and cost to IITM excepting the space for laboratory and 230V standard Indian power supply.</p>
---

**OPTIONAL ITEM:****Remote Sampling Accessories** (Canister Sampler & Canister Cleaning System)

The system should also have remote sampling capabilities using Silonite coated canisters. The sampling should be by timed-integrated sampler using different flow restrictor. The system should be quoted with canister cleaning system to clean canisters of different volumes as per the following details.

Description	Qty.
2.7L Silonite Canister with TOV-1 Valve (1-9)	20
<p>AUTOMATED CANISTER CLEANING SYSTEM</p> <p>It includes:-</p> <p>Cleaning System Controller            5m SL2 Cable            12 Position Manifold and Fill/Evac Tubing (For 09-OV6L Oven)            2.7L x 12 Canister Oven            2-Stage Diaphragm Pump - 120 VAC            Molecular Drag Pump System for 3100A (replaces 30001)            Stainless humidifier with water level indicator</p>	01
<p>Silonite Coated Canister Passive Field Sampler            Silonite Coated Sapphire Restr for 1 Hr(3 min)* Sampling            Silonite Coated Sapphire Restr for 3 Hr(10 min)* Sampling            Silonite Coated Sapphire Restr for 8 Hr(30 min)* Sampling            Silonite Coated Sapphire Restr for 24Hr(90min)* Sampling            Silonite Coated Sapphire Restr for 1Week(8hr)* Sampling</p>	01
1 week Digital Timer for CS1200E	01
Female Micro Valve to 1/4" Connector	01
Stainless purge cap assemble for CS1200E (post 6/08)	01
Type "T" Inlet Line, Threaded (No Filter)	01
Silonite Coated Threaded Filter and o-ring for 39-92100, 39-92210, and 39-RS-X	01
100 sccm 9 VDC flow calibrator for CS1200	01
Locking Security Enclosure	01
Long CS1200E Threaded Inlet for Enclosure	01
Leak-Tight CS1200 back cover upgrade Kit	01
Long Inlet for Sampling Enclosure	01

**INDIAN INSTITUTE OF TROPICAL METEOROLOGY PUNE 411 008 (INDIA)**

**GENERAL TERMS & CONDITIONS**

**ENQUIRY NO: PS/125/22/2012/TENDER NOTICE No.:PS/TENDER/09/2012**

- 1) The Tenderers are requested to give detailed sealed tender in their own forms in two Bids i.e.

**Part-I Technical Bid.**  
**Part-II Commercial Bid**

Both the bids addressed to  
**The Director,**  
**Indian Institute of Tropical Meteorology,**  
**Dr. Homi Bhabha Road, NCL Post,**  
**Pashan, Pune – 411 008, INDIA.**

- 2) You have to submit two separate bids in two separate envelopes and you may keep both the bid envelopes in an envelope for sending to us.

One envelope will contain only the **TECHNICAL SPECIFICATIONS** of the indented equipment.

Another envelope will contain only the financial bid in which price, maintenance, AMC, CMC, OMC etc. and any other information, which has financial implications, will only be given.

- 3) Please indicate page nos. on your quotation ex. If the quotation is containing 25 Pages, please indicate as 1/25, 2/25, 3/25 -----25/25.
- 4) The main envelope, which will contain both the bids, should be super scribed with our tender enquiry No.**PS/125/22/2012**due on **27 March 2013**.
- 5) The technical bids will be opened on the specified due date in the presence of tenderers who wish to be present &the financial bids of only those bidders will be opened whose technical bid is found suitable by us.
- 6) The Date and Time of opening for Part-II (Commercial Bid) will be intimated only to pre-qualified and technically acceptable Tenderers for the item at a later date.

Last Date and Time for receipt of Tenders: **Upto 12.00 hrs. on 27 March 2013.**

Date and Time of opening of Tenders: **At 15:00 hrs. on 27 March 2013.**  
(Part-I Technical Bids only)

Tenders addressed to the Director, Indian Institute of Tropical Meteorology, Pune 411008 are to be submitted for each item in duplicate in double cover, under two bids system. Superscribed with Tender No. **PS/125/22/2012** for purchase of **“On-line Proton Transfer Reaction- Mass Spectrometer (PTRMS) based VOCs analyser” – Qty 01 Set**due on **27 March 2013**.

- 7) This tender is **not transferable**.
- 8) **Fax / E-mail / Telegraphic / Telex tenders will not be considered**

- 9) If a request is made to IITM, Pune for Tender Documents, a sum of **Rs.1,000.00 (Rs. One Thousand only)** for indigenous suppliers / Indian agents (Non-refundable) and **USD 50.00 (USD Fifty only)** for foreign suppliers (Non-refundable) has to be paid in the form of Demand Draft only drawn in favour of **The Director, Indian Institute of Tropical Meteorology, Pune** enclosed in Technical Bid only. In case the bidders download the Tender Documents from the website of this Institute, **no tender document fee is require to be submitted.**
- 10)a) The Equipments are required for **IITM, Pune** and to be installed at **PUNE (INDIA)** and subsequently Training is to be provided to the concerned scientists / personnels of IITM, Pune.  
b) Packing, Forwarding, Freight & Insurance and Commissioning Charges, if any extra may be quoted separately in Commercial Bid.  
c) In case if your quote is FOR/FOB/FCA basis, estimated Insurance coverage charges may please be indicated separately.  
d) CIF/CIP, Mumbai value both by Airfreight.  
e) Octroi Payment if any, the same may please be shown separately.
- 11) Cost of the items should be mentioned clearly in the Commercial Bid (Part-II) only. The optional and any other essential items / accessories required for the maintenance of the equipment for the next five years should also be specified in the offer separately.
- 12) In case of foreign quote, the Principal supplier should clearly indicate the address of the Indian Agent and percentage (%) of Agency Commission payable if any, to be paid to the Indian Agent in Indian Currency. If Agency Commission is not applicable, the same may kindly be mentioned clearly in the offer.
- 13) Percentage & amount of Indian Agency commission payable in Indian currency after the receipt of consignment in good condition at our Stores & satisfactory installation and commissioning of the ordered equipment on submission of copy of DGS&D registration wherever it is applicable.
- 14) Indicate the names of the Indian reputed Organizations where you have supplied the similar equipment and may attach the satisfactory performance report of the equipment from user Organization.
- 15)a) If you have supplied identical or similar equipment to other Institutes under Ministry of Earth Sciences and Ministry of Science & Technology, the details of such supplies for the preceding three years should be given together with the prices eventually or finally paid.  
b) Based on the above information IITM will have its option to obtain details of the equipment, their performance, after sales services etc. for evaluation of the tender, directly from the concerned Labs. / Scientists etc.
- 16) All the Bank Charges inside and outside India, including opening of LC, communication, confirmation, amendments etc., if any to Beneficiary's Account only. This may please be noted.**
- 17) Details of services rendered by you as well as after-sales services offered by you are to be made clear in the tender.

- 18) The Tenderer's conditions printed on the tender or otherwise sent along with the tender shall not be binding on IITM.
- 19) The vendor should have appropriate facilities and trained personnel for supply, installation, commissioning and warranty-maintenance of the equipment to be supplied. Detailed information in this regard may be furnished.
- 20) **Delivery Period:** As time is the essence of the contract, Delivery period mentioned in the Purchase Order should be strictly adhered to.
- 21) Details regarding terms of payment including period of warranty. However we prefer to release the payment on BILL Basis (excluding Indian Agency Commission) after receipt of consignment in good condition and satisfactory installation, and commissioning thereof. Alternatively, depending upon the value and foreign exchange regulations the payment can also be considered through Sight Draft / Letter of Credit through the State Bank of India for the order value excluding the Indian Agency Commission. However, the detailed payment for Sight Draft / Letter of Credit is mentioned at clause No. **30 (b),(c), (d) & (e)** of this tender terms and conditions.
- 22) Supply means "Supply, Installation, Commissioning and satisfactory demonstration of the whole system and training". If any charges extra for Installation, Commissioning and training, the same should be specified in the commercial offer.
- 23) Kindly attach a copy of your latest DGS&D, New Delhi registration Certificate under the compulsory Scheme of Ministry of Finance regarding the registration of Indian Agent of foreign supplier wherever it is applicable.
- 24) a) The Tenderer is required to furnish the Permanent Account Number (PAN) Allotted by the Income Tax Department. If registered with the National Small Industries Corporation, the registration number, purpose of registration and the validity period of registration' etc. should also be provided in Technical Bid for Indian Agents.
- b) A copy of latest Income Tax Clearance Certificate from Income Tax Department (INDIA) for Indian Agents.
- 25) In case of foreign quote, the address of Principal's / Manufacturer's and their Banker's details should be furnished.
- 26) The item should be supplied with manuals and the manuals including technical / Electronic drawings / circuit diagrams should be complete in all respects to operate the system without any problem.
- 27) The import license is covered under OGL policy of 2009-2014.
- 28) a) In case of Indigenous Items the offer should contain the Basic Price and percentage of Excise Duty should be shown separately, since IITM, Pune is exempted from payment of Excise duty vide Govt. Notification No.10/97-Central Excise dated 15<sup>th</sup> March, 1997.

- b) IITM is exempted from payment of Customs Duty vide Govt. Notification No.51/96-Customs dated 23<sup>rd</sup> July, 1996. However as per the Govt. of India further notification No.24/2002-Customs dated 15<sup>th</sup> March, 2002 and notification No.19/2006-Customs' dt. 01.03.2006 Customs Duty is levied on all imports meant for IITM. Since the suppliers are requested to quote only on FOB basis, applicable freight, insurance and customs duty to R&D Institutions will be borne by IITM.
- 29) Tender must clearly indicate the features offered unit price, VAT tax, transport, transit insurance, installation charges. Institute cannot furnish any concessional certificate for exemption or reduction in VAT tax or any other duty / tax except mentioned above at 28 a) and b). The vendor should mention the price of the equipment and the duties / taxes to be paid such as customs duty / excise duty / VAT taxes etc. separately.
- 30)a) No advance can be paid.
- b) **PAYMENT:80%** payment shall be made by an Irrevocable Letter of Credit established in favour of the supplier through the State Bank of India, Main Branch, Camp, Pune 411 001 (India) for the order value, excluding the Agency Commission due to the Indian Agents, against the presentation of original Shipping documents, **10%** payment shall be released after completion of satisfactory installation, commissioning, demonstration of the whole system, after imparting training and Balance **10%** will be released upon receipt of Bank Guarantee from Indian nationalized bank for 10% of total Order value towards performance bank guarantee to be valid for one year from the date of installation. However Letter of Credit/Sight Draft arrangement will be made for 100% order value.  
The Agency Commission to the Indian Agent will be paid only after successful installation, commissioning and satisfactory demonstration and acceptance of the items ordered for by the end user.
- c) **For Indigenous items, 80%** payment shall be made against delivery of indigenous goods, **10%** payment shall be released after completion of installation, commissioning and on acceptance test as per Purchase Order at site and balance **10%** shall be made after receipt of performance Bank Guarantee from Indian nationalized bank for 10% of the total order value, to be valid for entire period of warranty including extension if any. If no Bank Guarantee is given, the balance 10% will be paid after assessing, after sales service during warranty period i.e. payment after warranty period.
- d) To ensure due performance of the contract, the successful bidder has to furnish the Performance Security in the form of bank guarantee for **10%** of the Order value from the Indian nationalized bank before execution of ordered work but not later than 15 days from the date of receipt of the Purchase Order. The same will be returned to the successful bidder only after completion of satisfactory installation, commissioning, demonstration of the whole system.
- e) The OMC amount should be claimed quarterly after successful completion of OMC and will be released after due certification by the concern scientist.



- 31) The prices quoted should be firm and irrevocable and not subject to any change whatsoever, even due to increase in cost of raw material components and fluctuation in the foreign exchange rates and excise duty.
- 32) The Tenderer has to state in detail the Electrical Power/UPS requirements, floor Space, head room, foundation needed and also to state whether Air-conditioned environment is needed to house the system and to run the tests. i.e. pre-installation facilities required for installation may please be intimated in the technical bid.
- 33) **INSTALLATION:** Bidder shall be responsible for installation / demonstration wherever applicable and for after sales service during the warranty and thereafter.
- 34) Acceptance tests to be prescribed later will be carried out after installation and the items will be taken over only after successful completion of the acceptance tests.
- 35) The tenders must be clearly written or typed without any cancellations / corrections or overwriting.
- 36) The tenders will be received in the Institute till **27 March 2013** up to **12:00 hrs.** and shall be opened on **27 March 2013** at **15:00 hrs.** in presence of the tenderers or their authorized agents who wish to be present.
- 37) IITM will not be responsible:
- a) For delayed / late quotations submitted / sent by Post / Courier etc.
  - b) For submission / delivery of quotations at wrong places other than the Office of Director, IITM, Pune ,
- 38) In case of Foreign Quote, the mode of dispatch should be by Air Post Parcel/Ocean Freight/Air Freight (By Air India Freight) and on Freight to-pay basis only. The approximate dimensions of the packages and weight of consignment are to be indicated.
- 39) The makes / brand and name and address of the manufacturer, Country of Origin, Country of Shipment and currency in which rates are quoted are to be mentioned.
- 40) The Technical Bid should accompany with complete specification, Manufacturer's name, address and relevant Technical Literature/Brochures with Warranty Terms.
- 41) The payment of local currency portion shall be payable in equivalent Indian Rupees, within 30 days after the receipt of the equipment in good condition and after satisfactory installation and commissioning and demonstration.
- 42) The tender / quotation / offer submitted by you should be valid for a minimum period of **One Hundred Eighty (180) days** from the date of opening the tender.

- 43) The quotation should be only in Indian Rupees for indigenous items. In case of foreign quote, the vendors may quote their rates in, Indian Rupees as well as in Foreign Currency.
- 44) The bidder who submits the tender on behalf of their principals should produce documentary evidence in support of their authority to quote or submit proforma invoice of their principals.
- 45) Installation demonstration to be arranged by the supplier free of cost and the same is to be done within 15 days of the arrival of the equipment at site after site readiness.
- 46) IITM will not provide any accommodation/transportation for the Engineers/ Representatives for attending Installation, Commissioning and Demonstration Work. It is the absolute responsibility of the Principal Supplier/Indian Agent to make their own arrangements.
- 47) **WARRANTY/GUARANTEE:**
- (a) Please see the complete detail in OMC Clause in Technical Specification of this tender document.
- (b) The equipment should be guaranteed for trouble free performance during OMC period after installation. Supplier shall finally warrant that all the stores, equipment and components supplied under the ORDER shall be new and of the first quality according to the specifications and shall be free from the defects (even concealed fault, deficiency in the design material and workmanship). The defects, if any, during the guarantee period are to be rectified free of charge by arranging free replacement wherever necessary. Further, the technical specifications and requirements may also be verified.
- (c) Instruments should remain operational at least 90% of the time in a year and should not remain non-functional continuously for more than 3 days in general. In case of non-compliance, total or partial (as decided by IITM) OMC amount per day on the days of non-operation will be cut along with extension of OMC period. The instrument should be commissioned, regularized and operational after the order is executed without any additional facility and cost to IITM excepting the infrastructure which includes well-furnished laboratory space with 230V standard Indian power supply. **Warranty and OMC period will also stand extended for a period of total downtime of the equipment.**
- 48) Details of onsite warranty, agency that shall maintain during warranty and undertake Operational Comprehensive Service Maintenance Contract (OMC) beyond warranty shall be given in the offer. In case of foreign quote, the Indian Agent who shall maintain during warranty and AMC / OMC beyond warranty shall be given in the Technical Offer. After warranty period (post warranty) who will maintain equipment / instrument. Indicate the name of Firm, address, contact person, phone no. And fax no. etc in your technical bid.
- 49) The supply of spare parts is to be guaranteed at least for a period of 10 years after the supply of the equipment.

- 50) Please mention that during warranty period who will maintain system/ equipment / instrument. Indicate the name of firm, address, contact person, phone no. and fax no. etc in your technical bid.
- 51) After successful installation what will be the minimum down time of equipment/instrument in case of breakdown. If the identified firm or person fails to put the system into working condition what is the further alternative course of action suggested by you to adhere to minimum down time.
- 52) No sub-contracting will be allowed for installation or maintaining system/ equipment / instrument during or after warranty period.
- 53) You have to quote rates for AMC / OMC, if any, only in commercial bid.
- 54) Any upgrade in Operating System (OS) and associated other software during the warranty period should be supplied free of charge.
- 55) Discount offered should be mentioned clearly in the commercial bid only.
- 56) The Tenderers are requested to quote for Educational Institutional Prices for Equipment and Software, since we are eligible for the same.**
- 57) This Institute is an autonomous scientific research organization under the Ministry of Earth Sciences and is a recognized centre for studies leading to M.Sc. and Ph.D. of the University of Pune and various other Universities. As such, all possible concessions / discounts / rebates applicable for educational Institutions may be given.
- 59) a) The Earnest Money Deposit of **Rs.5,00,000.00 (Rs. Five Lakhs only)** must be paid / sent along with your technical bid in the form of a Demand Draft, Banker cheque or Bank Guarantee (from a Indian Nationalized Bank only) drawn in favour of The Director, Indian Institute of Tropical Meteorology, Pune payable at Pune, otherwise your technical & financial bids will not be considered at all. The Earnest Money of successful bidder will be returned only after installation, commissioning, satisfactory demonstration and on acceptance of the equipment by the user Scientist / HOD as per the terms of our purchase order. If the successful bidder fails to fulfill the contractual obligations before the due date, he will forfeit the EMD.
- The Earnest Money of the unsuccessful bidder whose technical bid has not been found suitable will be returned within **FORTY FIVE DAYS** after receipt of Technical Committee recommendations.
- b) Those who are registered with Central Purchase Organization (e.g. DGS&D), National Small Industries Corporation or the concerned Ministry / Department need not to furnish EMD along with their bids.
- c) Though EMD has to be submitted by Demand Draft, Banker's Cheque or Bank Guarantee, we prefer to have Bank Guarantee for easy return to the bidders once a decision is taken by IITM. (Specimen of Bank Guarantee is enclosed at Annexure 'A').
- d) Tenders not accompanied with Demand Draft / Bank Guarantee towards "Earnest Money Deposit" will summarily be rejected.
- 65) a) Tenders, which are submitted without following the Two-Bid Offer System, will summarily be rejected.
- b) Unsigned Tenders will also be rejected.
- c) Part and incomplete tenders are liable to be rejected.

- 66) If the supplier fails to Supply, Install and Commission the system as per specifications mentioned in the order within the due date, the Supplier is liable to pay liquidated damages of one percent value of the Purchase Order awarded, per every week delay subject to a maximum of 10% for every week beyond the due date and such money will be deducted from any money due or which may become due to the supplier.
- 67) Goods should not be dispatched until the Vendor receives a firm order.
- 68) The purpose of certain specific conditions is to get or procure best Equipment / service etc. for IITM. The opinion of Technical Committee shall be guiding factor for Technical short listing.
- 69) Firms which have already supplied similar equipment to IITM and have not completed required installation / commissioning / after sales service / warranty replacements etc. such firms' offers will not be considered for further evaluation and no enquiries thereafter will be entertained.**
- 70) In the event the Manufacturer / Supplier proposes for amalgamation, acquisition or sale of its business to any firm during the contract period, the Buyer/Successor of the Principal Company are liable for execution of the contract and also fulfilment of contractual obligations i.e. supply, installation, commissioning, warranty, maintenance/replacement of spares accessories etc. with the same cost / ordered value while submitting your bid, you may confirm this condition.**
- 71) Conditional Offers will not be considered.
- 72) All disputes are subject to exclusive jurisdiction of Competent Court and Forum in Pune, India only.
- 73) The Director, Indian Institute of Tropical Meteorology, Pune 411 008, India reserves the right to accept any tender in full or in part or to reject the lowest or any or all tenders without assigning any reason.
- 74) In case of any dispute regarding part-shipment, non-compliance of any feature etc., The Director, Indian Institute of Tropical Meteorology, Pune will be the final authority to decide the appropriate action and it will be binding on the Vendor.
- 75) Last Date and Time for receipt of Tenders: **Up to 12.00 hrs. on 27 March 2013.**
- 76) Date and Time of opening of Tenders: At 15:00 hrs. on 27 March 2013.**  
(Part - I Technical Bid only)

**Note: Technical compliance sheet may please be given in Technical Bid.**

(V. R. MALI)  
Senior Technical Officer-II  
For Director  
**Email: vipin@tropmet.res.in**  
**Tel: ++91-20-25894483**

## BID SECURITY FORM

Whereas 1 (hereinafter called "the Bidder") has submitted its bid dated (*date of submission of bid*) for the supply of \_\_\_\_\_ (*name and/or description of the goods*)(hereinafter called "the Bid").

KNOW ALL PEOPLE by these presents that WE \_\_\_\_\_ (*name of bank*) of (*name of the country*), having our registered office at (*address of bank*)(hereinafter called "the Bank"), are bound unto (*name of Purchaser*) (hereinafter called "the Purchaser") in the sum of \_\_\_\_\_ for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank this \_\_\_\_ day of 20\_\_\_\_THE CONDITIONS of this obligation are:

1. If the Bidder withdraws it's bid during the period of bid validity specified by the Bidder on the Bid Form; or
2. If the Bidder, having been notified of the acceptance of it's bid by the Purchaser during the period of bid validity:
  - a) fails or refuses to execute the Contract Form if required; or
  - b) fails or refuses to furnish the performance security, in accordance with the Instruction to Bidders.

We undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, Without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee shall remain in force up to one year after the period of the bid validity, and any demand in respect thereof should reach the Bank not later than the above date.

(Signature of the Bank)  
Name of Bidder